


Spare Parts Catalogue



CONTENTS

4 REPLACEMENT ELECTRODES - AUTOCHLOR™

- Electrodes / AC Series
- Electrodes / RP Series
- 5 Electrodes / SM Series
- SM Electrodes / SR / SA Series
- SM Electrodes / SR / SA Series Sandwich Design
- SMCWM Reverse Polarity (Reduced Maintenance) Electrodes / SMCWM Series
- 6 SMC Reverse Polarity (Reduced Maintenance) Electrodes / SRC / SAC Series
- SMC Reverse Polarity (Reduced Maintenance) Electrodes / SRC / SAC Series Sandwich Design

7 REPLACEMENT ELECTRODES - ECOLINE™

- FSMC Reverse Polarity (Reduced Maintenance) Electrodes / FSRC Series Prior to 31,12,2014
- FSMC Reverse Polarity (Reduced Maintenance) Electrodes / FSRCN Series From 1.1.2015

8 SPARE PARTS

- Residential Models

12 SPARE PARTS

Commercial Models



	AUTOCHLOR™ ELECTRODES / AC SERIES				
MACHINE TYPE	IMAGE	ORDERING CODE	DESCRIPTION		
AC Spa/Mini	E	SPADTLPO	To Suit AC-SPA ~ (1 x 5 Amp. 140 x 60mm 3 Plate Electrode Included In Pack)		
AC15	A	ECELDTLPO	To Suit AC15 ~ (1 x 15 Amp. 140 x 60mm 5 Plate Electrode Included In Pack)		
AC20		KCELDTLPO	To Suit AC20 ~ (1 x 20 Amp. 115 x 60mm 7 Plate Electrode Included In Pack)		
AC25		SCELDTLPO	To Suit AC25 ~ (1 x 25 Amp. 140 x 60mm 7 Plate Electrode Included In Pack)		
AC35		PCELDTLP0	To Suit AC35 ~ (1 x 35 Amp. 195 x 60mm 7 Plate Electrode Included In Pack)		
AC50		FCELDSTLP0	To Suit AC50 (1 x 50 Amp. 270 x 60mm 7 Plate Electrode Included In Pack)		
AC50HD		FCELDCTLPO	To Suit AC50HD (1 x 50 Amp. 270 x 60mm 7 Plate Heavy Duty Electrode Included In Pack)		
AC100HD		2 X FCELDCTLPO	To Suit AC100HD (2 x 50 Amp. 270 x 60mm 7 Plate Heavy Duty Electrodes Included In Pack)		
		AUT	OCHLOR™ ELECTRODES / RP SERIES		
RP7	E	CELLRP7T	To Suit RP7~ (1 x 7 Amp. 75 x 60mm 5 Plate Electrode Included In Pack)		
RP15	E	CELLRP15T	To Suit RP15 ~ (1 x 15 Amp. 140 x 60mm 5 Plate Electrode Included In Pack)		
RP20		CELLRP20T	To Suit RP20 ~ (1 x 20 Amp. 115 x 60mm 7 Plate Electrode Included In Pack)		
RP25		CELLRP25T	To Suit RP25 ~ (1 x 25 Amp. 140 x 60mm 7 Plate Electrode Included In Pack)		
RP25	40	CELLRP25T.13	To Suit RP25 ~ (1 x 13 Amp. 115 x 60mm13 Plate Bi-Polar Electrode Included In Pack)		
RP35		CELLRP35T	To Suit RP35 ~ (1 x 35 Amp. 195 x 60mm 7 Plate Electrode Included In Pack)		
RP36	40	CELLRP36T	To Suit RP36 ~ (1 x 20 Amp. 140 x 60mm 13 Plate Bi-Polar Electrode Included In Pack)		
RP64	44	CELLRP64T	To Suit RP64 ~ (1 x 35 Amp. 220 x 60mm 13 Plate Bi-Polar Electrode Included In Pack)		
RP92	4	CELLRP100T	To Suit RP92 ~ (1 x 50 Amp. 270 x 60mm 13 Plate Bi-Polar Electrode Included In Pack)		

NB: The AC and RP series of electrodes can be ordered with bayonet caps, with wing nut connectors, with standard or heavy-duty terminals. Heavy-duty grade electrodes for the AC/RP models can be priced on application.

NB: The lengths of the CELLRP25T, CELLRP20T, and CELLRP15T cells have been reduced. When supplying replacement electrodes to customers, please provide new electrode types. They are configured to operate with existing power supplies.



		AUTOCHLOR™ ELECTRODES / SM SERIES
ORDERING CODE	IMAGE	DESCRIPTION
CELLSMC20	-	To Suit SMC20T \sim (5 Amp. 170 \times 60mm) used for units build pre-2008
CELLSMC20A	1	To Suit SMC20TA ~ (5 Amp. 170 x 60mm) used for units build after 2008
CELLSMC20S		To Suit SMC20T \sim (5 Amp. 140 \times 60mm) used for units build pre-2004
CELLSMC30		To Suit SMC30T \sim (6 Amp. 170 \times 60mm) used for units build pre-2008
CELLSMC30A	-	To Suit SMC30TA ~ (6 Amp. 170 x 60mm) used for units build after 2008
CELLSMC30S	4	To Suit SMC30T ~ (6 Amp. 140 x 60mm) used for units build pre-2004
		AUTOCHLOR™ SM ELECTRODES / SR / SA SERIES
CELLSM200		To Suit SR-200 Electrolyser/Chlorine Generator
CELLSM300		To Suit SR-300 Electrolyser/Chlorine Generator
CELLSM400		To Suit SR-400, SA-800, SA-1600 Electrolyser/Chlorine Generators
CELLSM500	6	To Suit SR-500, SA-1000, SA-2000, SA-3000 Electrolyser/Chlorine Generators
	AUTOCHLO	R™ SM ELECTRODES / SR / SA SERIES - SANDWICH DESIGN
CELLSM200S	8	To Suit SR-200 Electrolyser/Chlorine Generator
CELLSM300S		To Suit SR-300 Electrolyser/Chlorine Generator
CELLSM400S		To Suit SR-400 Electrolyser/Chlorine Generator
CELLSM500S	3	To Suit SR-500 Electrolyser/Chlorine Generator
AUTOCH	ILOR™ SMC RE	VERSE POLARITY (REDUCED MAINTENANCE) ELECTRODES / SMCWM SERIES
CELLSMC50	The state of the s	To Suit SMCWM-100 Electrolyser/Chlorine Generator
CELLSMC40	TO .	To Suit SMCWM-150 Electrolyser/Chlorine Generator

NB: Please note that ordering codes refer to one cell only. If your chlorine generator requires more than one cell be sure to order the correct quantity.



ORDERING CODE	IMAGE	DESCRIPTION
CELLSMC100	T.	To Suit SRC-100 Electrolyser/Chlorine Generator
CELLSMC150	T.	To Suit SRC-150 Electrolyser/Chlorine Generator
CELLSMC200	T.	To Suit SRC-200 Electrolyser/Chlorine Generator
CELLSMC300	8	To Suit SRC-300 Electrolyser/Chlorine Generator
CELLSMC400	-	To Suit SRC-400, SAC-800 Electrolyser/Chlorine Generators
CELLSMC500	8	To Suit SRC-500, SAC-1000, SAC-2000 Electrolyser/Chlorine Generators
CELLSMC625	-	To Suit SAC-625, SAC-1250, SAC-2500 Electrolyser/Chlorine Generators
CELLSMC750		To Suit SAC-1500, SAC-3000 Electrolyser/Chlorine Generators
CELLSMC800		To suit SRC-800 Electrolyser/Chlorine Generator
CELLSMC1500	6	To Suit SRC-1500 Electrolyser/Chlorine Generator
	AUTO	CHLOR™ SMC REVERSE POLARITY (REDUCED MAINTENANCE) ELECTRODES / SRC / SAC SERIES - SANDWICH DESIGN
CELLSMC100S		To Suit SRC-100 Electrolyser/Chlorine Generator
CELLSMC150S	3	To Suit SRC-150 Electrolyser/Chlorine Generator
CELLSMC200S	3	To Suit SRC-200 Electrolyser/Chlorine Generator
CELLSMC300S	8	To Suit SRC-300 Electrolyser/Chlorine Generator
CELLSMC400S	3	To Suit SRC-400 Electrolyser/Chlorine Generator
CELLSMC500S	3	To Suit SRC-500 Electrolyser/Chlorine Generator
CELLSMC625S		To Suit SRC-625 Electrolysers/Chlorine Generators
CELLSMC800S		To Suit SRC-800 Electrolysers/Chlorine Generators
CELLSMC1000S		To Suit SRC-1000, SRC-2000 Electrolysers/Chlorine Generators
CELLSMC1250S		To Suit SRC-1250, SRC-2500 Electrolysers/Chlorine Generators
CELLSMC1500S		To Suit SRC-1500, SRC-3000, SRC-4500 Electrolysers/Chlorine Generators



ECOLINE™ FSN	1C REVERSE PO	DLARITY (REDUCED MAINTENANCE) ELECTRODES / FSRC SERIES PRIOR TO 31.12.2014
ORDERING CODE	IMAGE	DESCRIPTION
CELLFSMC50S		To Suit FSRC-50, Electrolysers/Chlorine Generator
CELLFSMC75S		To Suit FSRC-75, Electrolysers/Chlorine Generator
CELLFSMC100S		To Suit FSRC-100, Electrolysers/Chlorine Generator
CELLFSMC150S		To Suit FSRC-150, Electrolysers/Chlorine Generator
CELLFSMC200S		To Suit FSRC-200, Electrolysers/Chlorine Generator
CELLFSMC250S		To Suit FSRC-250, FSRC-500 Electrolysers/Chlorine Generator
CELLFSMC300S		To Suit FSRC-300, Electrolysers/Chlorine Generator
CELLFSMC425S		To Suit FSRC-425, FSRC-850, FSRC-1275, FSRC-1700, FSRC-2550 Electrolysers/Chlorine Generator
CELLFSMC500S		To Suit FSRC-500, FSRC-1000, FSRC-1500, FSRC-2000, FSRC-3000 Electrolysers/Chlorine Generator
ECOLINE™ F	SMC REVERSE	POLARITY (REDUCED MAINTENANCE) ELECTRODES / FSRCN SERIES FROM 1.1.2015
ORDERING CODE	IMAGE	DESCRIPTION
CELLFSMC65S		To Suit FSRCN-65 Electrolysers/Chlorine Generators
CELLFSMC98S		To Suit FSRCN-100 Electrolysers/Chlorine Generators
CELLFSMC130S	8	To Suit FSRCN-130 Electrolysers/Chlorine Generators
CELLFSMC195S		To Suit FSRCN-200 Electrolysers/Chlorine Generators
CELLFSMC260S		To Suit FSRCN-260 Electrolysers/Chlorine Generators
CELLFSMC325S		To Suit FSRCN-325, FSRCN-650 Electrolysers/Chlorine Generators
CELLFSMC390S		To Suit FSRCN-400, FSRCN-800 Electrolysers/Chlorine Generators
CELLFSMC552S		To Suit FSRCN-550, FSRCN-1100, FSRCN-1700, FSRCN-2200, FSRCN-3300 Electrolysers/Chlorine Generators
CELLFSMC650S		To Suit FSRCN-650, FSRCN-1300, FSRCN-2000, FSRCN-2600, FSRCN-4000 Electrolysers/Chlorine Generators

		RESIDENTIAL MODELS
ORDERING CODE	IMAGE	DESCRIPTION
ACRP		AC & RP Controller PCB. Green Colour - Specify Model When Ordering
AEACRP		RP Controller PCB, Brown Colour. Used for Machines Build Pre-2012
AEACS		AC Controller PCB, Brown Colour. Used for Machines Build Pre-2012
AEPOT		Potentiometer 10k (For PCB) 3310p-001-103 Bourns
BR		Bridge Rectifier 50 Amp FB5006 (Fagor)
CAPBAY	9	Cap Bayonet Twistlock Electrode
CAPTH		Cap Threadlock Electrode With Sensor Pin And O-Ring, Grey
CAPUNI		Cap Bayonet Uni Electrode Yellow (Bare)
CB3		Circuit Breaker 3 Amp
CB5	1	Circuit Breaker 5 Amp
CB15	•	Circuit Breaker 15 Amp
CBBS006	0	0-Ring BS008 3/16"Idx1/16" Thick Nitrile (For SM Electrodes)
CGL	C.	Cord Grip Bushing Large
CGS	•	Cord Grip Bushing Small
СНРОМ	& &	Electrode Hardware Male (+/-) Push On Brass Connectors
CHPOMHD		Electrode Hardware Female (+/-) Heavy Duty Push On Brass Connectors
CHTL	d g)	Housing Threadlock Electrode Large Clear
CHTM		Housing Threadlock Electrode Medium Clear
CHTS		Housing Threadlock Electrode Small Clear

RESIDENTIAL MODELS			
ORDERING CODE	IMAGE	DESCRIPTION	
CL25POC	Q ₂	Electrode Lead 25 Amp With Push On Connectors (Suits 15, 20 & 25 Amp)	
CL50POC		Electrode Lead 50 Amp With Heavy Duty Push On Connectors	
CLSMC	-	Cell Lead for SMC20/30, Used for Machines Build Before 2008	
CLSMC1	0	Cell Lead for SMC20/30. Used for Machines Build After 2008	
CS	G	Spacer 7 Blade Electrode AC Series (2 Pieces Per Set)	
DI04004		Diode 1N4004 1 Amp 400V Axial (5,000 Reel)	
FCL		Front Cover Large Polycarbonate 3mm Solar Grey	
FCS		Front Cover Small Polycarbonate 3mm Solar Grey	
KNOB		Knob PCB Control	
L240		Lead And 3 Pin Plug 240 Volt 3 Core Flex Black (2 Mtr Long)	
LEADKIT		Electrode Lead Conversion Kit Push On Connectors (+/-) & Sensor 25 Amp	
LEADKITHD		Lead Kit Heavy Duty 50 Amp	
LR	0	Ring Locking Threadlock Electrode Housing Grey	
NH	33	Hinge Nylon (Male & Female) Pair RA250W	
OR1/4	0	0-Ring 1/4" Electrode Bolt BS010	
OR5/16		0-Ring 5/16" Electrode Bolt BS011	
ORTLC		O-Ring Threadlock Housing S50 Grey (99.6x88.5x3.5mm)	
PO	1	Socket 240 Volt Pump Outlet	
SCR	668	SCR Non Insulated "W" (Flat Pack)	
SCRI	668	SCR Insulated "J" (Flat Pack)	

RESIDENTIAL MODELS			
ORDERING CODE	IMAGE	DESCRIPTION	
SDICAPTH-1	•	Cell Cap for Threadlock Electrode - Used for 15 Plate Electrodes Only	
SL		Sensor Lead Repair Kit (255mm Long) Black	
SWP2		Switch 2 Way Panel Mt 240 Volt	
SWP3		Switch 3 Way Panel Mt 240 Volt	
SWR2	200	Switch 2 Way Rocker 240 Volt	
SWR3	00	Switch 3 Way Rocker 240 Volt	
тс		Time Clock Grasslin (Black & White Face) (24hr Model)	
TCELCD		Time Clock Electronic Lcd Display (SMC Electrolyser/Chlorine Generator)	
TCI		Time Clock Grasslin WOverride	
TCM		Time Clock Matsushita A-TB72 Without Backup	
TCQ		Time Clock Grasslin Quartz	
TPSMCB		Board Switch Mode Controller	
TPSMPSB		Board Switch Mode Power Supply	
TXAC15/240	8	Transformer AC-15 240 Volt 15 Amp	
TXAC20/240	8	Transformer AC-20 240 Volt 20 Amp	
TXAC25/240	8	Transformer AC-25 240 Volt 25 Amp	
TXAC35/240		Transformer AC-35 240 Volt 35 Amp	
TXAC50/240		Transformer AC-50 240 Volt 50 Amp	
TXAC100/240		Transformer AC-100 240 Volt 100 Amp	
TXPL350VA	S	Transformer Toroidal Pool Light 240V Input/175VA 25A Output	

RESIDENTIAL MODELS			
ORDERING CODE	IMAGE	DESCRIPTION	
TXRP35/240		Transformer RP-35 240 Volt 35 Amp	
TXRP50/240		Transformer RP-50 240 Volt 50 Amp	

COMMERCIAL MODELS			
ORDERING CODE	IMAGE	DESCRIPTION	
106SV-1/2		Titanium Relief Valve 1/2" BSP	
106SV-3/4		Titanium Relief Valve 3/4" BSP	
ACCH100	00	Electrode Cap For 100mm Housing	
ACCH125	60	Electrode Cap For 125mm Housing	
ACCH250	60	Electrode Cap For 250mm Housing	
ACCH300	00	Electrode Cap For 300mm Housing	
AECHP150		End Cap For 150mm Housing	
AECHP200		End Cap For 200mm Housing	
AECHP250		End Cap For 250mm Housing	
AECHP300		End Cap For 300mm Housing	
AUXCON	-	Auxiliary contact for L7 type, miniature circuit breaker	
CBBS216SIL	0	0-Ring 28.17 X 3.53mm, SMC Cell Bolt 28mm	
CBBS224SIL	0	0-Ring 44.04 X 3.53mm, SMC Cell Bolt 44mm	
CBBS434SIL	\circ	0-Ring 142.24 X 6.35mm, SMC Cell Cap 150mm Housing	
CBBS443SIL	0	0-Ring 190.50 X 6.99mm, SMC Cell Cap 200mm Housing	
CBOR10.6X3.5SIL	B	O-Ring For Finned Titanium Tube Raditor, Pipe O.D. 12mm	
CBOR15.5X2.6SIL	B	O-Ring For Finned Titanium Tube Raditor, Pipe O.D. 16mm	
CBOR15.1X3.5SIL	0	O-Ring 15.1 X 3.5mm, SMC Sandwich Cell Bolt 16mm	
CBOR38X5SIL	0	0-Ring 38 X 5mm, SMC Sandwich Cell Bolt 28mm	

COMMERCIAL MODELS			
ORDERING CODE	IMAGE	DESCRIPTION	
CBOR43.8X3.5SIL	0	O-Ring 43.8 X 3.5mm, SMC Sandwich Cell Bolt 44mm	
CBOR113.X.5SIL	\bigcirc	O-Ring 113.67 X 5.33 mm, SMC Cell Cap 125mm Housing	
CBOR134X7SIL	\bigcirc	0-Ring 134 X 7mm, SMC Cell Cap 150mm Housing	
CBOR181X7SIL	\bigcirc	0-Ring 181 X 7mm, SMC Cell Cap 200mm Housing	
CBOR231X7SIL	\circ	O-Ring 231.5 X 7mm, SMC Cell Cap 250mm Housing	
CBOR274. 5X8.4SIL	\bigcirc	O-Ring 274.5 X 8.4mm, SMC Cell Cap 300mm Housing	
CFOURCH200	53	Four-Electrodes Housing 200mm	
CFOURCH200P	55	Four-Electrodes Housing 200mm P-1600	
CJX2-115-4		Contactor For SRC-200	
CJX2-150-4	Tana	Contactor For SRC-300	
CJX2-225-4		Contactor For SRC-400	
CJX2-265-4		Contactor For SRC-500	
CJX2-63-4		Contactor For SMCWM-150	
CJX2-95-4		Contactor For SMCWM-100	
CJX2-F400-4		LC1-F4004; 4 Pole Contactor With 240V Coil	
CJX2-F500-4		Contactor For SAC-3000	
CLG-50EFSV1.0E	Olive of Inc.	Keypad For Ver 5.3 ChlorogenTM	
CLR125	\bigcirc	Electrode Lock Ring For 125mm Housing	

COMMERCIAL MODELS			
ORDERING CODE	IMAGE	DESCRIPTION	
CLR150	\bigcirc	Electrode Lock Ring For 150mm Housing	
CLR200	\bigcirc	Electrode Lock Ring For 200mm Housing	
CLR250		Electrode Lock Ring For 250mm Housing	
CLR300		Electrode Lock Ring For 300mm Housing	
COOLING H200/300		Cooling Reservoir Clear Housing 50mm SRC-200/300	
COOLING H400/500		Cooling Reservoir Clear Housing 50mm SRC-400/500	
COOLING R200/300	Ţ	Cooling Reservoir 50mm SRC-200/300	
COOLING R400/500	Î	Cooling Reservoir 50mm SRC-400/500	
COOLING.G	0	Cooling Reservoir Gate	
COOLING.IN		Cooling Reservoir Threaded Brass Inlet 12mm Outside Diameter By 1/4" NPT18 Thread	
COOLING.L		Cooling Reservoir Lid	
CSCH150		Single Electrode Housing 150mm	
CSCH200		Single Electrode Housing 200mm	
CSCHM200		Single Electrode Housing Modular 200mm	
CTWOCH200	53	Two-Electrodes housing 200mm	
DOSPUMP0207		Dosing Pump Flow :2 L/H, Press :7 Bar	
DOSPUMP0605		Dosing Pump, Flow: 6 L/H, Press: 5 Bar	
DOSPUMP0907		Dosing Pump, Flow: 9 L/H, press: 7 Bar	
DOSPUMP2003		Dosing Pump, Flow: 20 L/H, Press: 3 Bar	
DOSPUMP5002		Dosing Pump, Flow: 50 L/H, Press: 2 Bar	

COMMERCIAL MODELS			
ORDERING CODE	IMAGE	DESCRIPTION	
DUCT.FITTING		Ducting Fitting, 100mm	
DUCT.FITTING.FAN		Ducting Fitting With Fan, 100mm	
FAN120BB240V		Cooling Fan, 120mm, Ball-bearing, 240VAC	
FAN22082	A STATE OF THE STA	Fan 220X200X80 MM, 240 V / 50Hz	
FAN28082	a a	Fan 280X250X80 MM, 240 V / 50Hz	
FANGLP2222A		Fan Finger Guard Metal Chrome Plated Size: 220mm For FAN22082	
FANGLP2225		Fan Finger Guard Metal Chrome Plated Size: 280mm For FAN28082	
FSMCFSV5.3E	Ecs. Fe	Keypad For Ver 5.3 EcolineTM	
HAGNT105C		Circuit Breaker 6A Single Phase, D-Type	
HAGNT105C.3P		Circuit Breaker 6A Three Phase, D-Type	
HAGNT110C		Circuit Breaker 10A Single Phase, D-Type	
HAGNT110C.3P		Circuit Breaker 10A Three Phase, D-Type	
HAGNT116C		Circuit Breaker 16A Single Phase, D-Type	
HAGNT116C.3P		Circuit Breaker 16A Three Phase, D-Type	
HAGNT120C	9	Circuit Breaker 20A Single Phase, D-Type	
HAGNT120C.3P		Circuit Breaker 20A Three Phase, D-Type	
HAGNT132C		Circuit Breaker 32A Single Phase, D-Type	

COMMERCIAL MODELS		
ORDERING CODE	IMAGE	DESCRIPTION
HAGNT132C.3P		Circuit Breaker 32A Three Phase, D-Type
HDR-120-12		Din-Rail Mounted 12VDC 10A Power Supply With Thermo-Regulator
HWFSWQ12-HS.SHLD	- Ace	Flow Switch
IPMD100RT	1	Magnetic Acid Pump MD100
IPMD6RT	1	Magnetic Acid pump MD6
IPMD10RT	1	Magnetic Acid pump MD10
IPMD15RT	1	Magnetic Acid pump MD15
IPMD20RT	1	Magnetic Acid pump MD20
IPMD30RT	1	Magnetic Acid pump MD30
IPMD40RT	1	Magnetic Acid Pump MD40
IPMD55RT	1	Magnetic Acid Pump MD55
IPMD70RT	1	Magnetic Acid Pump MD70
K8ABPW2		Measuring And Monitoring Relay, Three Phase
K8ABVW3	O	Measuring And Monitoring Relay, Single Phase
L-801		Cooling Pump For SRC200/SRC-300
LCD.SG12864A		LCD Display For SM Electrolyser/Chlorine Generator Ver 3.0 And Ver 5.3
LOCKWK	99	DOOR LOCK FOR COMMERCIAL CHLORINATOR WITH TWO KEYS
OMC63-4	62 5-64 7-64 7-64 8-64	SMPS Sequential Contactor
PCLTSMC200/300		Acid Tank For SMC-200/SMC-300

COMMERCIAL MODELS		
ORDERING CODE	IMAGE	DESCRIPTION
PCLTSMC3000		Acid Tank For SAC-3000
PCLTSMC400/500		Acid Tank For SRC-400/SRC-500
PCLTSMC750/1000		Acid Tank For SAC-800/SAC-1000
PCLTSRC200/300		Acid Tank For SRC-200/SRC-300
QF1/2SW	0	Spring Washer For Electrode Connectors (e.g. CELLSMC200, CELLSMC300)
QF12112BB		Brass Bolt For Electrode Connectors (e.g. CELLSMC200, CELLSMC300)
QF12118	0	Brass Washer For Electrode Connectors (e.g. CELLSMC200, CELLSMC300)
QF5813BW	0	Brass Washer For Electrode Connectors (From CELLSMC400 And Above)
QF58BHS		Brass Bolt For Electrode Connectors (From CELLSMC400 And Above)
QF58SW	0	Spring Washer For Electrode Connectors (From CELLSMC400 And Above)
QFM1-1/8BN		Brass Nut, 1-1/8 UNF 14 TPI, 9mm Thick
QFM1-3/4BN	0	Brass Nut, 1-3/4 UNF 12 TPI, 10mm Thick
RADIATOR	-	Radiator For SRC-200/SRC-300
RADIATOR T96X260		Titanium Radiator rectangular 260 X 96 mm, pipe OD: 12 mm.
RADIATOR.FT		Finned Titanium Tube Raditor; Pipe O.D: 12mm
RADIATOR.FT25		Finned Titanium Tube Raditor; Pipe O.D: 16mm
RELF55.32		External Control Relay 10A, 12 V DC
RELF55.34		External Control Relay 5A, 240V
RT1021	#1	Toggle Switch 250VAC 15A / 125VAC 20A On-Off With Waterproof Hood

COMMERCIAL MODELS		
ORDERING CODE	IMAGE	DESCRIPTION
SCP600-05-80U		Switchmode Power Supply 600W 5V 100A U-Series
SCP600-12-50U		Switchmode Power Supply 600W 12V 50A U-Series
SCP600-15-40U		Switchmode Power Supply 600W 15V 40A U-Series
SCP600-18-33U		Switchmode Power Supply 600W 18V 33A U-Series
SCP600-24-25		Switchmode Power Supply 600W 24V 25A S-Series
SCP600-24-25U		Switchmode Power Supply 600W 24V 25A U-Series
SCP800-09-88		Switchmode Power Supply 800W 9V 88A S-Series
SCP800-12-66		Switchmode Power Supply 800W 9V 66A S-Series
SCP1200-05-200		Switchmode Power Supply 1.2kW 5V 200A S-Series
SCP1200-09-133		Switchmode Power Supply 1.2kW 9V 133A S-Series
SCP1200-12-100		Switchmode Power Supply 1.2kW 12V 100A S-Series
SCP1200-12-100U	6	Switchmode Power Supply 1.2kW 12V 100A U-Series
SCP1200-15-80U	See	Switchmode Power Supply 1.2kW 15V 80A U-Series
SCP1200-24-50U	Some Some	Switchmode Power Supply 1.2kW 24V 50A U-Series
SCP1500-08-150		Switchmode Power Supply 1.5kW 8V 150A S-Series
SCP1500-18-83		Switchmode Power Supply 1.5kW 18V 83A S-Series
SCP1500-24-62		Switchmode Power Supply 1.5kW 24V 62A S-Series
SCP2400-06-300		Switchmode Power Supply 2.4kW 6V 300A S-Series
SCP2400-09-266		Switchmode Power Supply 2.4kW 9V 266A S-Series

COMMERCIAL MODELS		
ORDERING CODE	IMAGE	DESCRIPTION
SCP2400-24-100		Switchmode Power Supply 2.4kW 24V 100A S-Series
SD512	N. Nome	Secure Digital (SD) Card
SE1TUB		Valve 1" (25mm) (e.g. Acid-Wash Valves)
SE2TUB		Valve 2" (e.g. M1 & M2 Valves On SRC-200/SRC-300)
SE3/4TUB		Valve 3/4" (e.g. Acid-Wash Valves)
SE3TUB		Valve 3" (e.g. M1 & M2 Valves On SRC-400 And Above)
SE4TUB	5	Valve 4"
SE5BV	3	VALVE BUTTERFLY 5"
SE6BV	7	VALVE BUTTERFLY 6"
SE8BV	7	VALVE BUTTERFLY 8"
SE8BVWG	6	VALVE BUTTERFLY 8" WORM GEAR
SHUNT100A100	طلعات	Shunt For SMCWM100 (100A, 100mV)
SHUNT300A100		Shunt For SRC-200 (300A, 100mV)
SHUNT400A100	•	Shunt For SRC-300 (400A, 100mV)
SHUNT50A100		Shunt For SMCWM150 (50A, 100mV)
SHUNT600A100		Shunt For SRC-400 (600A, 100mV)
SHUNT800A100	8 8	Shunt For SRC-500 And Above (800A, 100mV)
SMCCBV5.1	9868	Control Board Ver 5.1

COMMERCIAL MODELS		
ORDERING CODE	IMAGE	DESCRIPTION
SMCCBV5.3		Control Board Ver 5.3
SMCFSV1.0E	(F) and (F)	Keypad For Ver 1.0/Ver 5.1
SMCFSV3.0E	Andrew Visit	Keypad For Ver 3.0/Ver 5.3 Autochlor™
S0CF94.04	20	External Control Socket For Relay 5A, 240V
SPC12-04		Cooling Reservoir Threaded Brass Push-On Outlet, 12mm
SPDEV		Surge Protection Device
SPE-12		Tee Compression 12mm 90DEG PU
SPV-12		Cooling Reservoir Plastic Elbow Push-On, 12mm
STDEL10		Timing Relay 0.1s~10 Seconds Delay Start AC 230: 5A, DC30: 1A
STDEL120		Timing Relay 10~120 Seconds Delay Start AC 230: 5A, DC30: 1A
THE.ADR		Titanium Heat Exchanger Threated Brass Inlet/Outlet Adaptor 12mm Outside Diameter By 5/8" - 18 UNF Thread
THE.M.10MMOD		Titanium Heat Exchanger For SRC-200/SRC-300
THERM.NTC	-	Temperature Sensor In Titanium Housing
THERM.NTC.10		Thermistor, R/T, NTC, 10k, 25degC
XSCP1200-06-166U	STATE	Switchmode Power Supply 1.2kW 6V 166A U-Series
XSCP1200-18-66		Switchmode Power Supply 1.2kW 18V 66A S-Series
XSCP1200-24-50		Switchmode Power Supply 1.2kW 24V 50A S-Series
XSCP1500-12-125U	STEE	Switchmode Power Supply 1.5kW 12V 125A U-Series
XSCP1500-24-62U	555	Switchmode Power Supply 1.5kW 24V 62A U-Series

COMMERCIAL MODELS		
ORDERING CODE	IMAGE	DESCRIPTION
XSCP1500-36-41.6U	Com.	Switchmode Power Supply 1.5kW 36V 41.6A U-Series
XSCP1500-48-41U	GE	Switchmode Power Supply 1.5kW 48V 41A U-Series
XSCP1500-60-25U	G	Switchmode Power Supply 1.5kW 60V 25A U-Series
XSCP1500-72-25U	Con Control	Switchmode Power Supply 1.5kW 72V 25A U-Series
XSCP2400-12-200		Switchmode Power Supply 2.4kW 12V 200A S-Series
XSCP2400-12-200-3P		Switchmode Power Supply 2.4kW 12V 200A 3Ph S-Series

About Australian Innovative Systems (AIS)

AIS is an award* winning, Australian owned leader in the design, production and supply of water hygiene technologies.

AIS' mission is to create safe, economical and versatile products that protect humans and habitats against waterborne pathogens and the transmission of infectious disease.

Als' brands - AutoChlor™ EcoLine™,
MineralChlor™ and ChloroGen™ incorporate electrochemical cells
made with Genuine Als Anodes.
These innovative technologies
disinfect everything from sea water to
groundwater, town water and waste
water, without the cost and hassle of
traditional chlorine** dosing.

Simple and reliable, the use of electrolysis to disinfect water

also reduces the transportation of hazardous chemicals on public roads and may even enhance Occupational Health and Safety programmes.

A leader in the residential Pool and Spa sector, AIS commercial systems also keep millions of litres of water healthy and sparkling clean in hotel spas, resort lagoons, community pools and competitive swimming venues, and is well suited a wide range of industrial applications too.

With decades of experience, skilled AIS technicians bring together diverse expertise in micro-electronics, chemistry, power systems, electrical and mechanical engineering, water system design, assembly, metalworking and plumbing.

R&D and manufacturing takes place at AIS' own production facilities in Brisbane, Australia. From here AIS has proudly exported to over 55 countries all around the world.

* AIS has received a wide range of accolades including a Gold Gaia Award, Telstra Business Innovation Award, International Stevie Award for Most Innovative Company, Australian Technology Showcase and Business Ideas Grants.

AIS Services include:

- Custom Design
- Consulting
- Installing
- Commissioning
- Scheduled Servicing

AIS Products include:

- ChloroGen™
- Ecoline™
- AutoChlor™
- MineralChlor™
- Genuine AIS Anode™
- pH Controllers

Your local dealer:

Your local distributor:

© Australian Innovative Systems Pty Ltd 2013. Australian Innovative Systems Pty Ltd reserves the right to discontinue or change any of the products, styles, colours, specifications, materials, services or other details referred to in this brochure at any time without notice. Images and graphics are indicative and are for illustration purposes.

















Australian Innovative Systems™

51 Millennium Place, Tingalpa, Queensland 4173 Australia

Telephone: +61 7 3396 5222 Facsimile: +61 7 3393 3441

www.aiswater.com.au



^{**} Typically Sodium Hypochlorite or Calcium Hypochlorite.